

## **IN THE CLAIMS**

Please cancel claims 1-76, without prejudice.

### **Listing of the Claims**

1-76. (Cancelled)

77. (Original) A method for treating addiction to cocaine in a mammal, wherein said method comprises administering an effective amount of a composition consisting essentially of topiramate or a pharmaceutically acceptable salt thereof, or an enantiomer or a racemic mixture thereof, to said mammal.

78. (Original) A method according to claim 77, wherein said topiramate is administered in an amount of about 25mg to about 1g/day.

79. (Original) A method for treating addiction to nicotine in a mammal, wherein said method comprises administering an effective amount of a composition consisting essentially of topiramate or a pharmaceutically acceptable salt thereof, or an enantiomer or a racemic mixture thereof, to said mammal.

80. (Original) A method according to claim 79, wherein said topiramate is administered in an amount of about 25mg to about 1g/day.

81. (Original) A method for treating addiction to morphine in a mammal, wherein said method comprises administering an effective amount of a composition consisting essentially of topiramate or a pharmaceutically acceptable salt thereof, or an enantiomer or a racemic mixture thereof, to said mammal.

82. (Original) A method according to claim 81, wherein said topiramate is administered in an amount of about 25mg to about 1g/day.

83. (Original) A method for treating addiction to methamphetamine in a mammal, wherein said method comprises administering an effective amount of a composition consisting essentially of topiramate or a pharmaceutically acceptable salt thereof, or an enantiomer or a racemic mixture thereof, to said mammal.

84. (Original) A method according to claim 83, wherein said topiramate administered in an amount of about 25mg to about 1g/day.

85. (Original) A method for treating addiction to alcohol in a mammal, wherein said method comprises administering an effective amount of a composition consisting essentially of topiramate or a pharmaceutically acceptable salt thereof, or an enantiomer or a racemic mixture thereof, to said mammal.

86. (Original) A method according to claim 85, wherein said topiramate is administered in an amount of about 25mg to about 1g/day.

87. (Original) A method for treating addiction to phencyclidine in a mammal, wherein said method comprises administering an effective amount of a composition consisting essentially of topiramate or a pharmaceutically acceptable salt thereof, or an enantiomer or a racemic mixture thereof, to said mammal.

88. (Original) A method according to claim 87, wherein said topiramate is administered in an amount of about 25mg to about 1g/day.

89. (Original) A method for treating addiction to methylenedioxymethamphetamine in a mammal, wherein said method comprises administering an effective amount of a composition consisting essentially of topiramate or a pharmaceutically acceptable salt thereof, or an enantiomer or racemic mixture thereof, to said mammal.

90. (Original) A method according to claim 89, wherein said topiramate administered in an amount of about 25mg to about 1g/day.

91. (Original) A method of treating addiction to a combination of drugs of abuse in a mammal, wherein said method comprises administering an effective amount of a composition consisting essentially of topiramate for a pharmaceutically acceptable salt thereof or an enantiomer or racemic mixture thereof, to said mammal.

92. (Original) A method according to claim 91, wherein said topiramate is administered in an amount of about 25mg to about 1g/day.

93. (Original) A method according to claim 91, wherein said combination of drugs of abuse is selected from the group consisting of psychostimulants, narcotic analgesics, alcohols, addictive alkaloids or combinations thereof.

94. (Original) A method according to claim 91, wherein said combination of drugs of abuse is selected from the group consisting of cocaine, nicotine, methamphetamine, morphine, heroin, ethanol, phencyclidine, methylenedioxymethamphetamine, or combinations thereof.

95. (Original) A method for treating addiction to heroin in a mammal, wherein said method comprises administering an effective amount of a composition consisting essentially of

Appl. No. 09/933,157; Filed August 20, 2001  
Amendment Dated November 21, 2003  
Reply to Office Action of August 21, 2003

topiramate or a pharmaceutically acceptable salt thereof, or an enantiomer or a racemic mixture thereof, to said mammal.

96. (Original) A method according to claim 95, wherein said topiramate administered in an amount of about 25mg to about 1g/day.